

VZ

Code	Type Daltec	Dimensions Intérieure	Essieux	Roues	Poids total	Charge Utile	Kata Preis CHF
Remorque surbaissée VZ non freinée							
101	VZ 18 Mini Budget	1210x1100x290	1	4,50-10C	750	640	1200
101T	VZ Mini ECO	1470 x 1060 x 300	1	155/70 R13	750	642	900
102	VZ 18 Mini	1460x1100x400	1	165/70R13	750	610	1400
103	VZ 18 ST	1765 x 1100 x 400	1	165/70R13	750	599	1200
104	VZ 21 ST	2065 x 1100 x 400	1	165/70 R13	750	592	1200
105	VZ 21 AR Alux	2060 x 1100 x 350	1	165/70R13	750	623	1500
106	VZ 26 AR Alux	2500 x 1255 x 350	1	165/70R13	750	585	1900
107	VZ 18 AR	1760 x 1095 x 350	1	165/70R13	750	585	1500
108	VZ 21 AR	2060 x 1095 x 350	1	165/70R13	750	574	1700
110	VZ Retro deluxe	1470x1070x400	1	10" alu	750	560	3700
111	VZ 21 REX	2100x1280x350	1	10"	750	523	2200
Remorque surbaissée VZ freinée							
122	VZ 21 Econo B	2065 x 1100 x 400	1	165/70R13	1000	806	2100
123	VZ 21 BAR Alux	2060 x 1100 x 350	1	155R13	1000	798	2400
124	VZ 26 BAR Alux	2500 x 1255 x 350	1	165R13C	1300	1078	2600
126	VZ 21 BAR	2060 x 1095 x 350	1	155R13	1000	788	2500
127	VZ 26 BAR	2500 x 1308 x 350	1	165R13C	1300	1040	3000
128	VZ 30-20 BAR	3010 x 1300 x 350	2	155R13	2000	1578	4100
129	VZ 35-25 BAR	3010 x 1540 x 350	2	165R13C	2700	2047	4300
130	VZ 40-35 BAR	3170x1820x400	2	185R14C	3500	2950	6800
131	VZ 20 FT (Deckel)	2010x1080x330	1	13"	850	607	3100
132	VZ Mini B	1340x1080x270	1	10"	750	625	1700
133	VZ 13 Multi	3010x1530x660	1	10"	1300	818	4200

Cargo

Code	Type Daltec	Dimensions Intérieure	Essieux	Roues	Poids total	Charge Utile	Kata Preis CHF
Cargo							
200	Titus	2060 x 1500 x 350	1	165/70 R13	750	580	1900
201	Cargo 10	2555x1500x350	1	155R13C	1000	720	3000
202	Cargo 13	2600x1600x400	1		1300	980	4000
204	Cargo 13 E	2555 x 1500 x 350	1	165R13C	1300	1020	3100
205	Cargo 20 E	2555 x 1500 x 350	2	155R13	2000	1570	3700
213	Cargo 20 S	3330 x 1700 x 350	2	155R13	2000	1506	4600
214	Cargo 25	2600x1600x400	2	165R13C	2500	2130	4300
215	Cargo 25 S	3330 x 1700 x 350	2	165R13C	2700	2006	4700
216	Cargo 25 L	3825 x 1700 x 350	2	165R13C	2700	1935	5300
217	Cargo 25 LS	4170 x 1700 x 350	2	165R13C	2700	1819	5400
218	Cargo 25 XLS	5050 x 2000 x 350	2	165R13C	2700	1738	6600
219	Cargo 25 XXLS	6130 x 2000 x 350	2	165R13C	2700	1645	7200
220	Cargo 30 L	4170 x 2000 x 350	2	185R14C	3000	2440	6500
221	Cargo 35 L	4170 x 2000 x 350	2	195R14C	3500	2830	7400
222	Cargo 35 LS	4170 x 2100 x 350	2	195R14C	3500	2719	7300
223	Cargo 35 XLS	5050 x 2100 x 350	2	195R14C	3500	2638	8300
224	Cargo 35 XXLS	6130 x 2100 x 350	2	195R14C	3500	2545	8900
225	Cargo 35 L City Trailer	4150x2100x350	2		3500	2160	0
226	Cargo 25 L 1.8	3800x1800x400	2		2500	1920	4800
229	Cargo 35 LS 2.47	4170 x 2470 x 350	2	195R14C	3500	2657	7700
230	Cargo 35 XLS 2.47	5050 x 2470 x 350	2	195R14C	3500	2575	8400
231	Cargo 35 XXLS 2.47	6130 x 2470 x 350	2	195R14C	3500	2482	9100
232	Cargo 30 LS	4170 x 2100 x 350	2	185R14C	3000	2219	6800
233	Transporter 20 Bud.	2545 x 1510 x 400	2	165R13C	2000	1640	3100
234	Transporter 13 Bud.	2545 x 1510 x 400	1	165/70R13	1300	976	2700
235	Cargo 13 Alu SH	3010x1530x350	1	13"	1300	914	3500
236	Cargo 27 Alu SH	3010x1830x350	2	13"	2700	2169	5000
237	Cargo 35 Alu SH	4010x2030x350	2	13"	3500	2797	6200

Hobby

Code	Type Daltec	Dimensions Intérieure	Essieux	Roues	Poids total	Charge Utile	Kata Preis CHF
Remorque de transport de bateaux							
301	BT N300 (Jetski)	4300x1700	1	155/70 R 13	450	340	1500
302	BT 750	5700x1780	1	165/70 R 13	750	520	2300
303	BT 750 B	5700x1780	1	165/70 R 13	750	590	3000
304	BT 1500 B	7580x2130	1	185 R 14 C	1500	1140	3900
305	BT 2500 B	8250-9430x2420	2	185/70 R13	2500	1830	7600
306	BT 3500 B	8250-9430x2420	2	195 R 14 C	3500	2795	10700
307	BT 1300 ALU	5200 x 1730	1	185 R 14 C	1300	970	4200
308	BT 1500 ALU	5200 x 1730	1	185 R 14 C	1500	1163	4300
309	BT 3500 ALU 3	7990 x 1880	3	165R13C	3500	2898	8100
310	Jet ALU	4300 x 1750	1	155/70 R 13	750	600	2500
312	BT 2500 ALU	6450 x 1900	2	165R13C	2700	2036	6200
313	BT 750 T	5900 x 1370	1	155/70 R 13	750	558	2000
314	BT 1000 T B	5500 x 1490	1	185 R14 C	1000	750	3200
315	BT 1800 T	6430 x 1720	1	185 R 14 C	1800	1440	4200
316	BT 2500 T	7420 c 1720	2	165 R13 C	2500	2050	5000
317	BT 3500 ALU 2	7990 x 1910	2	185 R 14 C	3500	2918	8400
Remorque de transport de moto							
322	VZ Moto 2	2060 x 1095	1	165/70 R 13	750	590	1500
323	Quad 1	2470x1390	1	165/70 R 13	750	570	1600
324	VZ Moto 2 B	2060 x 1095	1	155R13	1000	780	2300
325	Quad 2	2470x1390	2	165/70 R 13	1000	760	2800
326	VZ Moto 3 B	2500 x 1480 x 100	1	155 R 13	1000	700	3100
327	Moto 3 Budget	2300 x 1550	1	155/70 R13	750	602	1400
328	Bike Shuttle	3200x2000x1900	1	185/75 R13 C	1500	720	11000
329	Moto Bud.	2200 x 1310	1	155/70 R13	750	623	1200
330	Multi 1	2950x1640	1	165/70 R 13	750	532	2100
335	Cargo Moto 3 MT B	3010x1830	1	10"	1500	1034	3800
409	Lifter Budget	2640 x 1610	1	155/70 R13	750	530	3000
511	Daytona 13 bud.	2930 x 1940	1	195/55 R 10 C	1300	960	3300
Remorque de transport de karting							
331	Kart 2	2000x1500x1330	1	165/70 R 13	750	450	3400
332	Kart PRO	3800x1520x1900	2	195/50 R 13 C	2000	1100	20000
334	Kart Maxi	2500 x 1480 x 1235	1	165R13C	1300	850	3700
Caravane							
350	Mini Camper	2500x1250x1400	1	165 R 13 C	750		0
351	Mini Camper L	3000x1500x1800	1	165 R13 C	750	300	9500
353	Mini Caravan vide	2500 x 1250 x 1500	1	165/70 R13	750	412	4800
353	Mini Caravan vide	2500x1250x1500	1	165/70 R13	750	412	6000
354	Mini Caravan	2520 x 1400 x 1210	1	165/70 R13	750	326	10900

Lifter

Code	Type Daltec	Dimensions Intérieure	Essieux	Roues	Poids total	Charge Utile	Kata Preis CHF
Remorque abaissable Lifter 1							
401	Lifter F	3100x1300	1	165/70 R 13	750	450	4000
402	Lifter FR	2700x1300	1	165/70 R 13	750	500	4700
403	Lifter FB 10	3100x1300	1	165/70 R 13	1000	600	4800
404	Lifter FBR 10	2700x1300	1	165/70 R 13	1000	700	5000
405	Lifter FB 13	3400x1670	1	165 R 13 C	1300	950	4700
406	Lifter FBR 13	3000x1670	1	165 R 13 C	1300	950	4800
407	Lifter FB 18	3400x1670	1	195/50 R 13 C	1800	1400	6400
408	Lifter FBR 18	3000x1670	1	195/50 R 13 C	1800	1400	6800
409	Lifter Budget	2460 c 1600	1	155/70R13	750	506	3000
410	Lifter WOM F	2510x1280	1	13"	750	498	3400
411	Lifter WOM FB 18E	3510x1690	1	14"	1800	1251	9700
Remorque abaissable Lifter 2							
421	Lifter FB 25	4100x1670	2	195/50 R 13C	2500	1830	9300
422	Lifter FBR 25	3700x1670	2	195/50 R 13C	2500	1830	9800
423	Lifter FB 35	4100x1670	2	195/50 R 13C	3500	2750	11500
424	Lifter FBR 35	3700x1670	2	195/50 R 13C	3500	2750	11900
425	Lifter FB 25 L	4500x1850	2	165 R13	2500	1730	10500
426	Lifter FBR 25 L	4000x1850	2	165 R 13	2500	1730	10900
427	Lifter FB 35 L	4500x1850	2	195/50 R 13C	3500	2600	12400
428	Lifter FBR 35 L	4000x1850	2	195/50 R 13C	3500	2600	16600

Auto

Code	Type Daltec	Dimensions Intérieure	Essieux	Roues	Poids total	Charge Utile	Kata Preis CHF
Remorque de transport de voiture Budget							
501	Varano 1 abkippbar	3850x1950	1	165 R 13 C	1300	910	3200
502	Varano 2 abkippbar	3850x1950	1	185 R 14 C	1500	1075	3400
503	Varano 3 abkippbar	3850x1950	1	185 R 14 C	1800	1350	3900
504	Silverstone 2	4000x2000	2	165 R 13 C	2500	1850	4300
505	Silverstone 3	4000x2000	2	185 R 14 C	3000	2370	4700
509	Daytona 30 Budget	4000x2000	2	185 R 14 C	3000	2300	5400
510	Daytona 35 Budget	4000x2000	2	185 R 14 C	3500	2780	6000
511	Daytona 13 bud.	2930 x 1940	1	195/55 R 10 C	1300	942	3300
512	Car Plus 15 Bud.	3530 x 1840	1	195/50 R 13 C	1500	1156	3100
513	Car Plus 27 Bud.	4520 x 2055	2	185 R14C	2700	2070	4600
514	Car Plus 30 Bud.	4520 x 2055	2	185 R14C	3000	2308	5200
515	Car Keeper 30 Bud.	5000 x 2065	2	195/55 R 10C	3000	2275	7500
516	Car Keeper 35 Bud.	4730 x 2074	3	195/55 R 10 C	3500	2636	8500
517	Daytona 30	4500 x 2120	2	195/55 R 10C	3000	2337	9300
518	Daytona 35	4500 x 2120	2	195/55 R 10 C	3500	2740	10200
519	Silverstone Alu 2	4550 x 2090	2	195/55 R 10C	3000	2360	11200
520	Daytona 27	4500 x 2120	2	195/55 R10 C	2700	2050	8600
536	Jumbo Mini	4000 x 2005	2	195/55 R10C	2700	2150	5100
572	Car Deck 30	4520 x 2055	2	195/50 R13C	3000	2320	5100
573	Car Plus 35 Bud.	5020 x 2055	2	185 R 14C	3500	2800	6100
574	Silverstone Alu 3	5600x2200	3	195/50 R13	3500	2600	17600
575	Silverstone Alu 3 Bâché	5600x2200x1900	3	195/50 R13	3500	2400	22900
576	Varano 3 abkippbar hydr.	4130x1920	1	165R13C	2700	1310	6500
576	Double Legend Bâché	7000x2100x1650	2	195/50 R13	2700	1550	0
Low Rider Transport de voitures							
540	Le Mans Bud.	8000 x 2160	3	195/50 R 13 C	3500	2474	8900
541	Low Rider Basic 30	5100x2100	2	195/55 R 10 C	3000	2215	10300
542	Low Rider Fastloader Elektro 30	5100x2100	2	195/55 R 10 C	3000	1970	16900
543	Low Rider Wreckingstar 35	5200x2100	3	195/55 R 10 C	3500	2500	15300
544	Low Rider Supertow Elektro 35	5200x2100	3	195/55 R 10 C	3500	2550	15300
545	Le Mans 35	7400 x 2100	3	195/50 R 13 C	3500	2340	12600
546	Le Mans 35 SA	8160 x 2100	3	195/50 R 13 C	3500	2510	15300
547	Imola 27 Alu	4500 x 2095 x 40	2	195/55 R10C	2700	2060	8600
548	Imola 35 Alu	4500 x 2095 x 40	2	195/50 R 13 C	3500	2750	9900
549	Low Rider Basic Sonda 2 Alu	4000 x 2000	2	195/55 R10 C	2600	2045	7500
550	Imola Atour 18	400x2010	1	13"	1800	1192	5300
551	Imola Atour 30	4000x2010	2	10"	3000	2335	6500
552	Imola FHAK 27	4000x2010	2	10"	2700	1971	7800
553	Low Rider Wreckingstar 35 BT	5200x2100	3	195/55 R 10 C	3500	2500	18400

Formula

Code	Type Daltec	Dimensions Intérieure	Essieux	Roues	Poids total	Charge Utile	Kata Preis CHF
Formula Transporteur de voitures							
561	Formula 25 Light	4750x2025x1750	2	195/55 R 10 C	2500	1530	15300
562	Formula 25 abkippbar	5500x2100x1750	2	195/55 R 10 C	2500	1300	21700
563	Formula 30 abkippbar	5500x2150x1750	3	195/55 R 10 C	3500	2200	23700
564	Formula 35 abkippbar	5500x2100x1750	3	195/50 R 13 C	3500	2200	25000
565	Formula 35 XL abkippbar	5700x2300x1850	3	195/50 R 13 C	3500	2200	21200
566	Formula 35 XXL abkippbar	6150x2250x1900	3	195/50 R 13 C	3500	2200	28300
567	Formula 30 L	5700x2300x1800	2	195/50 R 13 C	3000	1750	18200
568.2	Formula 35 L abkippbar	5700x2300x1800	2	195/50 R 13 C	3500	2150	21200
568.3	Formula 35 L abkippbar	5700x2300x1800	3	195/50 R 13 C	3500	2150	26800
569	Formula 35 Stream	5680x2270x1900	2	195/50 R 13 C	3500	2100	26700

Jumbo

Code	Type Daltec	Dimensions Intérieure	Essieux	Roues	Poids total	Charge Utile	Kata Preis CHF
Jumbo							
521	Jumbo 25 Reling	4170 x 2095 x 100	2	195/55 R10C	2700	1840	6900
521	Jumbo 25 Seitenladen	4170 x 2095 x 350	2	195/55 R10C	2700	1805	7600
522	Jumbo 25 S Reling	5170 x 2095 x 100	2	195/55 R10C	2700	1785	7600
522	Jumbo 25 S Seitenladen	5170 x 2095 x 350	2	195/55 R10C	2700	1735	8400
523	Jumbo 25 XS Reling	5150 x 2470 x 100	2	195/55 R10C	2700	1826	8500
523	Jumbo 25 XS Seitenladen	5170 x 2470 x 350	2	195/55 R10C	2700	1755	9300
524	Jumbo 25 XLS Reling	6100 x 2470 x 100	2	195/55 R10C	2700	1748	9600
524	Jumbo 25 XLS Seitenladen	6130 x 2470 x 350	2	195/55 R10C	2700	1670	10300
525	Jumbo 35 Reling	4170 x 2095 x 100	3	155/70R12C	3500	2808	8300
525	Jumbo 35 Seitenladen	4170 x 2095 x 350	3	155/70 R12C	3500	2785	9000
526	Jumbo 35 S Reling	5150 x 2470 x 100	3	155/70 R12C	3500	2732	9900
526	Jumbo 35 S mit Seitenladen	5170 x 2470 x 350	3	155/70 R12C	3500	2698	10600
526	Jumbo 35 S mit Plane	5170 x 2095 x 350	3	155/70 R12C	3500	2333	9800
527	Jumbo 35 LS Reling	6100 x 2095 x 100	3	155/70 R12C	3500	2631	10100
527	Jumbo 35 LS Seitenladen	6100 x 2095 x 350	3	155/70 R12C	3500	2550	10900
528	Jumbo 35 XS Reling	5150 x 2470 x 100	3	195/55 R10C	3500	2641	10700
528	Jumbo 35 XS Seitenladen	5150 x 2470 x 350	3	195/55 R10C	3500	2570	11300
529	Jumbo 35 XLS Reling	6130 x 2470 x 100	3	195/55 R10C	3500	2563	11700
529	Jumbo 35 XLS Seitenladen	6130 x 2470 x 350	3	195/55 R10C	3500	2485	12300
Jumbo Budget							
530	Jumbo 30 Budget	5000x2100x350	2	195/55 R 10 C	3000	2115	9800
531	Jumbo 35 Budget	5000x2100x350	2	195/50 R 13 C	3500	2595	10300
532	Jumbo 25 Budget abk.Plane	5000x2000x1750	2	195/50 R 13 C	2500	1450	7000
533	Jumbo 30 Budget abk.Plane	5000x2000x1750	2	195/50 R 13 C	3000	1900	7400
534	Jumbo 35 Budget abk. Plane	5000x2000x1750	3	195/50 R 13 C	3500	2350	7900
Jumbo basculante 3 côtés							
535	Jumbo 35 3 seitenkipper	5170 x 2095 x 350	3	195/55 R10C	3500		10400

Aero

Code	Type Daltec	Dimensions Intérieure	Essieux	Roues	Poids total	Charge Utile	Kata Preis CHF
Aero Remorque caisse							
601	Aero Mini C255 Plywood	2550 x 1250 x 1550	1	165 R 13	1300	930	4390
601	Aero Mini C255 Plywood + Seitentür	2550 x 1250 x 1550	1	165 R 13	1300	930	4690
601	Aero Mini C255 Alu + Seitentür ***	2550 x 1250 x 1550	1	165 R 13	1300	930	5490
602	Aero 1300 weiss	3000 x 1550 x 1750	1	165 R 13	1300	850	5690
602	Aero 1300 farbig	3000 x 1550 x 1750	1	165 R 13	1300	850	5990
602	Aero 1300 weiss + Seitentür	3000 x 1550 x 1750	1	165 R 13	1300	850	5990
602	Aero 1300 farbig + Seitentür ***	3000 x 1550 x 1750	1	165 R 13	1300	850	6290
603	Aero C300 polyester	3000 x 1550 x 1900	1	165 R 13	1300	800	5490
603	Aero C300 polyester + Seitentür ***	3000 x 1550 x 1900	1	165 R 13	1300	800	5790
603	Aero C300 Alu	3000 x 1550 x 1900	1	165 R 13	1300	800	5990
603	Aero C300 Alu + Seitentür	3000 x 1550 x 1900	1	165 R 13	1300	800	6490
603	Aero C300 Sandwich + Seitenklappe	3000 x 1550 x 1900	1	165 R 13	1300	800	7200
604	Aero C500 polyester 2T â*	3200 x 1670 x 2000	2	185/70 R 13	2000	1370	6690
604	Aero C500 polyester + Seitentür 2T â*	3200 x 1670 x 2000	2	185/70 R 13	2000	1370	6990
604	Aero C500 Alu 2T â*	3200 x 1670 x 2000	2	185/70 R 13	2000	1370	7390
604	Aero C500 Alu + Seitentür 2T â*	3200 x 1670 x 2000	2	185/70 R 13	2000	1370	7690
604	Aero C500 Sandwich + Seitenklappe 2T â*	3200 x 1670 x 2000	2	185/70 R 13	2000	1370	8990
609	Aero C500 XL Alu	3680 x 1640 x 2010	2	165/R13LT	2600	1945	9490
610	Aero C700 Alu + Seitentür 2,6T	3760 x 1800 x 2000	2	185/65 R 14	2600	1800	9990
613	Aero C800 Alu + Seitentür 3.5T	4410 x 2060 x 2060	2	185 R14C	3500	2500	12900
613	Aero C800 Alu + doppelte Seitentüre 3.5T	4410 x 2060 x 2060	2	185 R14C	3500	2500	13900
614	Aero C900 Alu + Seitentür 3.5T	5090 x 2060 x 2060	2	185 R14C	3500	2400	13900
614	Aero C900 Alu + doppelte Seitentüre 3.5T	5090 x 2060 x 2060	2	185 R14C	3500	2400	14900
615	Aero C400 polyester + Seitentür	3150 x 1640 x 2010	1	185/70R13	1300	810	6190
615	Aero C400 Alu + Seitentür	3150 x 1640 x 2010	1	185/70R13	1300	810	6890
616	Aero Mini C255 ungebremst PW	2550 x 1250 x 1550	1	165 R 13	750	950	3690
616	Aero Mini C255 ungebr PW + Seitentür	2550 x 1250 x 1550	1	165 R 13	750	950	3990
617	Aero C1000 Car transport	4970 x 2025 x 2060	2	195/50R13C	3500	2535	13900

Coffre

Code	Type Daltec	Dimensions Intérieure	Essieux	Roues	Poids total	Charge Utile	Kata Preis CHF
Remorque caisse VZ + Cargo							
576	Double Legend Bâché	7000x2100x1650	2	165 R 13 C	2700	1550	0
622	VZ 21 K	2070x1100x1500	1	165/70 R 13	750	480	3300
623	VZ 21 BK	2070x1100x1500	1	155 R 13	1000	670	3900
624	VZ 23 BK	2270x1100x1500	1	155 R 13	1000	660	4400
625	VZ 26 BK	2500x1250x1800	1	165 R 13 C	1300	920	5600
626	VZ 30 BK	2960x1450x1800	1	165 R 13 C	1300	890	5500
627	VZ 30 - 25 BK	3050x1510x1800	2	165 R 13 C	2500	1940	6900
628	Cargo 13 BK	2600x1600x1800	1	165 R 13 C	1300	890	6100
628	Cargo 13 BK	2600x1600x1800	1	165 R 13 C	1300	890	0
629	Cargo 20 BK	3000x1800x1800	2	155 R 13 C	2000	1400	12100
629	Cargo 20 BK	3000x1800x1800	2	155 R 13 C	2000	1400	0
630	Cargo 25 BK	4150x2070x2050	2	165 R 13 C	2500	1600	14000
630	Cargo 25 BK	4150x2070x2250	2	165 R 13 C	2500	1600	15100
631	Cargo 35 BK	4150x2030x2200	2	185 R 14 C	3500	2350	16800
631	Cargo 35 BK	5150x2070x2250	2	185 R 14 C	3500	2350	23400
632	VZ 30 - 20 BK	3050x1510x1800	2	165 R 13 C	2000	1400	6000
634	VZ 13 BK TFD 300T.00 PW	3000 x 1500 x 1800	1	165/70 R13 C	1300	600	5300
635	VZ 27 BK TFD 300T.00 PW	3000 x 1500 x 1800	2	165/70 R13 C	2700	1964	6300
636	Cargo 27 BK TFSP 420T.00	4200 x 2000 x 1200	2	165 R 13 C	2700		9200
637	Cargo 27 BK TFSP 500T.00	5000 x 2000 x 2100	2	165 R 13 C	2700	1519	10700
638	VZ 20 BK TFD 300T.00 PW	3000 x 1500 x 1800	2	165/70 R13 C	2000	1264	6100
639	VZ 27 BK TFS 470T.00 SW	4700 x 200 x 2100	2	165/70 R13 C	2700	1747	9500
639.5	VZ 27 BK TFS 470T.01 SW	4700 x 200 x 2100	2	165/70 R13 C	2700	1747	10100
640	VZ 27 BK TFS 420T.00 SW	4200 x 2000 x 1200	2	165/70 R13 C	2700	1739	8600
640.5	VZ 27 BK TFS 420T.01 SW	4200 x 2000 x 1200	2	165/70 R13 C	2700	1739	9200
641	Cargo 27 BK TFSP 420T.01	4200 x 2000 x 1200	2	165 R 13 C	2700	1681	9800
642	Cargo 27 BK TFSP 500T.01	5000 x 2000 x 2100	2	165 R 13 C	2700		11300
643	Cargo 27 BK TFSP 600T.00	6000 x 2000 x 2200	2	165 R 13 C	3000	1864	12400
644	VZ 15 S-Box	3000x1490x1890	1	13"	1500	965	9200
645	VZ 13 BK 2512C	2500 x 1250 x 1500	1	185 R14C	1300	865	5100
646	VZ 750 BK 2512	2500 x 1250 x 1500	1	155/70 R13	750	375	4300
647	VZ 20 BK TFS 360T.00 PW	3600 x 2000 x 2100	2	165/70 R13 C	2000	1171	8000
647.5	VZ 20 BK TFS 360T.01 PW	3600 x 2000 x 2100	2	165/70 R13 C	2000	1171	8600
648	Cargo 20 BK TFSP 300T.00	3000 x 2000 x 2100	2	165R13C	2000		8200

Animal

Code	Type Daltec	Dimensions Intérieure	Essieux	Roues	Poids total	Charge Utile	Kata Preis CHF
Remorque de transport de petits animaux							
705	Hundeanhänger 2pl.	1420 x 1100 x 900	1	155 R 13	750	500	2900
Remorque de transport de gros animaux							
	GTV aufbau	3500x2200x1900					0
711	VT 1500	2950x1400x1900	1	175 R 14 C	1500	700	0
712	VT 2000	2950x1600x1900	2	155 R 13	2000	1230	10500
713	VT 2000 Budget	3140x1670x2000	2	155 R 13	2000	1230	0
714	VT 2500	3050x1700x1900	2	185 R 14 C	2500	1610	10900
715	VT 2500 D	3050x1700x1900	2	185 R 14 C	2500	1610	11300
716	VT 3500	3950x2200x1900	2	185 R 14 C	3500	2300	0
717	VT 2500 D PT	3050x1700x2100	2	185 R 14 C	2500	1750	14700
Remorque de transport de chevaux							
742	Gold One Alu-Line 11/2	3180 x 1400 x 2300	2	13"	1600	915	7490
754	PT Triplex/Maxi 3	4200 x 2070 x 2300	2	13"	3500	1720	17900
755	PT Quatro/Maxi 4	4780 x 2070 x 2300	2	13"	3500	1990	19900
756	PT Touring One	3180 x 1400 x 2300	2	13"	1600	835	8990
757	PT Touring Country V	3200 x 1670 x 2300	2	14"	2600	1750	9990
758	PT Gold 3	3420 x 1670 x 2300	2	13"	2600	1775	8990
759	PT Touring XL	3690 x 1790 x 2400	2	185/65R14	2600		11990
761	PT Duomax /Maxi 2	3780 x 1810 x 2250	2	14"	2500	1550	14900

Construction

Code	Type Daltec	Dimensions Intérieure	Essieux	Roues	Poids total	Charge Utile	Kata Preis CHF
Benne basculante arrière							
801	KA 1500 ECO	2500 x 1600 x 300	1	185/70 R 13 C	1500	1100	4900
802	KA 1500 LUX	2500 x 1600 x 300	1	185/70 R 13 C	1500	1040	5400
803	KA 2000 LUX	3000 x 1600 x 300	2	185/70 R 13 C	2000	1440	5700
804	KA 2500 LUX	3000 x 1800 x 350	2	165 R 13	2500	1800	7500
814	KA 1800 Rocko	2510x1530x350	1	13"	1800	1297	5300
815	KA 2700 Rocko	3010x1530x350	2	13"	2700	1979	6300
Benne basculante trois côtés							
805	KA 3500 LUX	3600 x 1800 x 350	2	195/50 R13C	3500	2700	10000
806	KA 3000 ECO	3320 x 1700 x 350	2	185 R 14 C	3000	2210	8100
807	KA 3500 ECO	3320 x 1700 x 350	2	195 R14 C	3500	2710	8700
808	KA 3500 PRO	4180 x 2100 x 350	2	195 R 14 C	3500	2459	11900
809	Dumper Gitteraufsatz + CHF 900.-	2700x1500x600	2	185 R14C	3500	2520	13000
810	Kipper 13 Bud. Elec	2530 x 1520 x 400	1	195/50R13C	1300	848	5400
811	Kipper 15 Bud. Elec	2530 x 1520 x 400	1	195/50 R13C	1500	1044	5600
813	Kipper 35 Bud. Man + Elec	3640 x 1700 x 300	2	195/50 R13C	3500	2538	10100
816	KA 3500 TRIUS Elec V-Deichsel	3620x2030x350	2	14"	3500	2399	12200
817	KA 3500 TRIUS Elec Zentrrohr	3620x2030x350	2	14"	3500	2224	14000
Transport d'engins de chantier							
812	VZ 35-40 BAC 3	4000 x 1830 x 250	3	195/50 R 13C	3500	2714	7400
851	BAT 30 BO	3000x1500x200	2		3000	2260	7200
852	BAT 35 BO	3500x1800x200	2		3500	2760	8000
853	VZ 35 - 25 BAT	3020x1550x350	2		2500	1750	8800
854	VZ 35 - 35 BAT	3020x1520x350	2	14"	3500	2700	8900
855	VZ 35 - 50 BAT	3500x1800x350	2		5000	3600	17400
856	VZ 35-40 BAC 2	4000 x 1830 x 250	2	195/50 R 13C	3500	2794	7400
857	VZ 35 - 35 BMAT	3530x1800	2	13"	3500	2681	8400
Remorque à outils							
860	Werkzeug ST	2100x1100x950	1		750	520	3800
860	Werkzeug ST avec étagère	2100x1100x950	1		750	520	4000
861	Werkzeug PRO	2630x1390x1800	1		1800	1000	8900
862	BSW 320	3200x1930x2100	1		1500	720	12100
863	BSW 520	5200 x 2000 x 2300	2	165 R13 C	2700	1660	14600
864	Werkzeug ST mit Bremse	2100x1100x950	1		750	520	4500
864	Werkzeug ST mit Bremse avec étagère	2100x1100x950	1		750	520	4800

Événement

Code	Type Daltec	Dimensions Intérieure	Essieux	Roues	Poids total	Charge Utile	Kata Preis CHF
Remorque frigorifique							
	VZ 29-30 FK	3000x1650x1900	2	165 R 13 C	3000	2200	16200
	VZ 29-30 TK	3000x1650x1900	2	165 R 13 C	3000	2150	19500
	VZ 29-35 TK	3000x1650x1900	2	185 R 14 C	3500	2700	20200
	VZ 25-15 FK	2500x1250x1800	1	165 R 13 C	1500	930	11900
	VZ 29-30 FK	3700x1800x1900	2	165 R 13 C	3000	2090	13800
	VZ 29-30 FK	2930x1650x1900	2	165 R 13 C	3000	2180	10600
	VZ 25-13 FK	2500 x 1250 x 1800	1	165 R 13 C	1300		10000
901	VZ 25-15 FK	2500x1500x1800	1	165 R 13 C	1500	900	13800
901	VZ 25-15 FK	2500x1500x1800	1	165 R 13 C	1500	830	8300
903	VZ 29-30 FK	3700 x 1800 x 2000	2	165 R 13 C	3000	2090	15100
904	Cargo 35 FK	4150x2100x2100	2	185 R 14 C	3500	2450	14600
904	Cargo 35 FK	4200x1800x2000	2	185 R 14 C	3500	2450	21100
905	VZ 25-13 FK	2500x1500x1800	1	165 R 13 C	1300		9200
926	VZ 30-27 FK	3000 x 1500 x 1800	2	165 R 13 C	2700	1907	12400
Remorque de vente							
911	Kreta (Kairo)équipé	1940x1940x2300	1	175/70 R 13	750	240	9100
912	Murano (Manila)	3200x1940x2300	1	185/75 R 14 C	1500	570	16300
913	Marbella (Sao Paulo)	3900x2100x2300	2	175/70 R 13	1550	1400	20400
914	Mykonos (Tokyo)	4800x2100x2300	2	185/75 R 13 C	2500	1300	21700
915	Capri (Baguetteria)	3600x2100x2300	1	195 R 14 C	1500	390	17500
916	Island (Iceland 1)	3200x1930x2300	1	195 R 14 C	1500	420	16800
917	Montana (Iceland 2)	3900x2160x2300	2	185/75 R 13 C	2500	1250	24500
917.5	Montana (Iceland 2) + hot	3900x2160x2300	2	185/75 R 13 C	2500	1250	28300
918	Elba (Marktanhänger)	3050(+2x1200)x1380	1	185/75 R 13 C	1300	500	11700
919	Malta (Markt + Kühl)	3050(+2x1200)x1380	1	185/75 R 13 C	1300	300	17200
920	Ibiza (Markt gross)	10000x1400	2	185/75 R 13 C	3500		22500
921	Remorque de toilette	5200 x 2000 x 2300	2	165 R13 C	2700	1660	14600
924	Corsica (leer)	3000 x 2000 x 2300	1	165/70 R13	1300	570	9500
924	Corsica (möbliert)	3000 x 2000 x 2300	1	165/70 R13	1300	570	10800
925	Hawaii (leer)	4200 x 2000 x 2300	2	165/70 R13	2000	945	12000
925	Hawaii (möbliert)	4200 x 2000 x 2300	2	165/70 R13	2000	945	13600
927	Madeira (leer)	2500 x 2000 x 2300	1	165/70 R13	1300	655	8800
927	Madeira (möbliert)	2500 x 2000 x 2300	1	165/70 R13	1300	655	9800
Remorque publicitaire							
923	Austellung TWSP 550T.00	5500 x 2200 x 2170	2	165/70 R13 C	2700		13000
923.5	Austellung TWSP 550T.01	5500 x 2200 x 2170	2	165/70 R13 C	2700		12700
928	Austellung TWSP 420T.00	4200 x 2200 x 2170	2	195/50 R13 C	2700		11300
928.5	Austellung TWSP 420T.01	4200 x 2200 x 2170	2	195/50 R13 C	2700		11100